



埃克森德
excellent technology

Hengshui Excellent Technology Co., Ltd.

NOR Couplings



NOR Couplings

NOR fittings are designed for pairing of pipes, hoses, spray tips etc.. for use in fire fighting and flushing with water.

NOR couplings have a symmetrical quick connect using a locking ring making it suitable for delivery operation and are easy to connect to the fire systems on board a vessel.

Normative regulation:

Norwegian Standard

Sizes:

1"~3"

Materials:

Aluminum by casting

Brass by forging

Max Working Pressure:

60 bar /870psi

Thread type:

BSP

Coupling Gaskets:

NBR (-30°C/+120°C)




Lug Distance


ØA1=83

ØA2=66

ØA3=50




NOR hose coupling




Name	Size	A	B	Code	Weight	Material
NOH50/25	LAS3-DN25	50	25	L1890006	-	AL Forging
NOH50/32	LAS3-DN32	50	32	L1890007	-	AL Forging
NOH50/38	LAS3-DN38	50	38	L1804104	-	AL Forging
NOH50/42	LAS3-DN42	50	42	L1890009	-	AL Forging
NOH66/32	LAS2-DN32	66	32	L1890016	-	AL Forging
NOH66/38	LAS2-DN38	66	38	L1890004	-	AL Forging
NOH66/51	LAS2-DN51	66	51	L1890003	-	AL Forging
NOH83/38	LAS1-DN38	83	38	L1804110	-	AL Forging
NOH83/51	LAS1-DN51	83	51	L1804078	-	AL Forging
NOH83/65	LAS1-DN65	83	65	L1804107	-	AL Forging
NOH83/75	LAS1-DN75	83	75	L1804079	-	AL Forging
NOH50/25	LAS3-DN25	50	25	L1804034	-	BR
NOH50/32	LAS3-DN32	50	32	L1804033	-	BR
NOH50/38	LAS3-DN38	50	38	L1804032	-	BR
NOH50/42	LAS3-DN42	50	42	L1804050	-	BR
NOH66/32	LAS2-DN25	66	25	L1804047	-	BR
NOH66/32	LAS2-DN32	66	32	L1804037	-	BR
NOH66/38	LAS2-DN38	66	38	L1804036	-	BR
NOH66/42	LAS2-DN50	66	42	L1804050	-	BR
NOH66/50	LAS2-DN50	66	50	L1804035	-	BR
NOH83/32	LAS1-DN32	83	32	L1804051	-	BR
NOH83/38	LAS1-DN51	83	38.2	L1804022	-	BR
NOH83/51	LAS1-DN51	83	50.8	L1804021	-	BR
NOH83/65	LAS1-DN65	83	65	L1804074	-	BR
NOH83/75	LAS1-DN75	83	75	L1804020	-	BR

NOR coupling female thread




Name	Size	A	B	Code	Weight	Material
NOF50/25	LAS3-DN25	50	G1"	L1891006	-	AL Forging
NOF50/32	LAS3-DN32	50	G1-1/4"	L1804109	-	AL Forging
NOF50/38	LAS3-DN38	50	G1-1/2"	L1804081	-	AL Forging
NOF50/50	LAS3-DN50	50	G2"	L1891009	-	AL Forging
NOF66/38	LAS2-DN38	66	G1-1/2"	L1891004	-	AL Forging
NOF66/50	LAS2-DN50	66	G2"	L1891003	-	AL Forging
NOF83/25	LAS1-DN25	83	G1"	L1801024	-	AL Forging
NOF83/38	LAS1-DN38	83	G1-1/2"	L1801029	-	AL Forging
NOF83/50	LAS1-DN38	83	G2"	L1801004	-	AL Forging
NOF83/65	LAS1-DN65	83	G2-1/2"	L1804111	-	AL Forging
NOF83/75	LAS1-DN75	83	G3"	L1804080	-	AL Forging
NOF50/25	LAS3-DN25	50	G1"	L1804096	-	BR
NOF50/32	LAS3-DN32	50	G1-1/4"	L1804073	-	BR
NOF50/38	LAS3-DN38	50	G1-1/2"	L1804031	-	BR
NOF50/50	LAS3-DN50	50	G2"	L1804059	-	BR
NOF66/25	LAS2-DN25	66	G1"	L1804056	-	BR
NOF66/32	LAS2-DN32	66	G1-1/4"	L1804040	-	BR
NOF66/38	LAS2-DN38	66	G1-1/2"	L1804041	-	BR
NOF 66/50	LAS2-DN50	66	G2"	L1804075	-	BR
NOF66/65	LAS2-DN65	66	G2-1/2"	L1804076	-	BR
NOF83/32	LAS1-DN32	83	G1-1/4"	L1804084	-	BR
NOF83/38	LAS1-DN38	83	G1-1/2"	L1804028	-	BR
NOF83/65	LAS1-DN65	83	G2-1/2"	L1804027	-	BR
NOF83/75	LAS1-DN75	83	G3"	L1804026	-	BR

NOR coupling male thread



Name	Size	A	B	Code	Weight	Material
NOM50/25	LAS3-DN25	50	G1"	L1892006	-	AL Forging
NOM50/32	LAS3-DN32	50	G1-1/4"	L1801005	-	AL Forging
NOM50/38	LAS3-DN38	50	G1-1/2"	L1801030	-	AL Forging
NOM50/50	LAS3-DN50	50	G2"	L1892009	-	AL Forging
NOM66/38	LAS2-DN38	66	G1-1/2"	L1892004	-	AL Forging
NOM66/50	LAS2-DN50	66	G2"	L1892003	-	AL Forging
NOM83/38	LAS1-DN38	83	G1-1/2"	L1804105	-	AL Forging
NOM83/50	LAS1-DN50	83	G2"	L1804117	-	AL Forging
NOM83/65	LAS1-DN65	83	G2-1/2"	L1801027	-	AL Forging
NOM83/75	LAS1-DN75	83	G3"	L1804048	-	AL Forging
NOM50/25	LAS3-DN25	50	G1"	L1804097	-	BR
NOM50/32	LAS3-DN32	50	G1-1/4"	L1801014	-	BR
NOM50/38	LAS3-DN38	50	G1-1/2"	L1804030	-	BR
NOM50/50	LAS3-DN50	50	G2"	L1804068	-	BR
NOM66/38	LAS2-DN38	66	G1-1/2"	L1804039	-	BR
NOM66/50	LAS2-DN50	66	G2"	L1804038	-	BR
NOM83/38	LAS1-DN38	83	G1-1/2"	L1804025	-	BR
NOM83/38	LAS1-DN38	83	NHT1-1/2"	L1804083	-	BR
NOM83/50	LAS1-DN50	83	G2"	L1804029	-	BR
NOM83/65	LAS1-DN65	83	G2-1/2"	L1804024	-	BR
NOM83/75	LAS1-DN75	83	G3"	L1804023	-	BR



NOR coupling blank cap

Name	Size	A	Code	Weight	Material
NOC50	LAS3	50	L1804120	-	AL Forging
NOC66	LAS2	66	L1804043	-	AL Forging
NOC83	LAS1	83	L1804044	-	AL Forging
NOC50	LAS3	50	L1801017	-	BR
NOC66	LAS2	66	L1804018	-	BR
NOC83	LAS1	83	L1804042	-	BR

Seals



Name	Size	Code	Weight	Material
NOR50	G1-1/2"	B1803001	-	NBR black
NOR66	G2"	B1803002	-	NBR black
NOR83	G2-1/2"	B1803003	-	NBR black